

COOL BLUE BOOST

Hyper blue light for off-road use



Hyper blue

For fatigue-free and comfortable driving compared to standard halogen lamps



Up to 5,000 K

High contrast and most stylish look on the road



Up to 50% more light

For better visibility and shorter reaction times compared to other blue coated halogen lamps



The hyper blue halogen light with up to 5,000 K

COOL BLUE BOOST convinces with hyper blue halogen light and high color temperatures of up to 5,000 K. The lamps generate up to 50% more light compared to other blue coated halogen lamps. These products are not ECE-approved and must not be used on public roads in any exterior application. Use on public roads will invalidate both the operating license and insurance coverage. Some countries prohibit the sale and use of these products. Please contact your local distributor for information on your country.

Product datasheet

Technical data

Product information

Order reference	62193CBB
Product type (off-road vs. on-road)	Off-road \pm H4
Application (Category and Product specific)	Halogen headlight lamp

Electrical data


Power input	75 / 68 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	100/90 W
Test voltage	13.2 V

¹⁾ Maximum

Photometrical data

Luminous flux	850/550 lm
Luminous flux tolerance	± 15 / ± 15 %
Color temperature	3200 K

Dimensions & weight



Diameter	17.0 mm
Product weight	23.70 g
Length	82.0 mm

Lifespan

Lifespan B3	100 / 200 h
Lifespan Tc	200 / 400 h

Additional product data

Product datasheet

Base (standard designation)	P43t
-----------------------------	------

Capabilities

Technology	HAL
------------	-----

Certificates & standards

ECE category	
--------------	--

Country specific categorizations




Order reference	62193CBB
-----------------	----------

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899439788	COOL BLUE BOOST ≅ H4	Hard Cover Box 2	114 mm x 48 mm x 106 mm	0.58 dm ³	139.48 g
4062172059350	COOL BLUE BOOST ≅ H4	Shipping carton box 10	268 mm x 126 mm x 125 mm	4.22 dm ³	782.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File
 Brochures Flyer Cool Blue Boost (EN)
 Brochures Flyer Cool Blue Boost Jeep Version (EN)
 360 Degree Image COOL BLUE BOOST H4 62193CBB

Legal advice

These products are not ECE-approved and must not be used on public roads in any exterior application.

Use on public roads will invalidate both the operating license and insurance coverage.

Some countries prohibit the sale and use of these products. Please contact your local distributor for information on your country.

Application advice

For more detailed application information and graphics please see product datasheet.

Product datasheet

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM